

2016 TCG HRS Wheat Trial At 4 Locations*

Variety	Fisher, MN	Crookston, MN	Thompson, ND	Crystal, ND	Average across 4 Locations				
	Yield (bu/a)				Protein %	Test Weight lb/bu	Lodging Score**	VSK*** %	Yield bu/a
TCG-Spitfire	90.8	78.6	94.7	86.3	13.2	59.5	2.5	0.4	87.6
WB-Mayville	90.0	72.8	86.5	88.7	14.2	60.2	2.7	2.9	84.5
Samson	91.6	70.6	93.2	81.3	12.9	59.8	2.9	5.4	84.2
TCG-Wildfire	81.8	80.4	83.5	78.8	13.3	59.9	3.9	3.2	81.1
Granite	81.0	81.9	82.3	75.6	14.6	63.2	2.1	0.7	80.2
Vantage	81.6	81.8	84.1	70.6	14.9	63.0	2.1	0.3	79.5
TCG-Cornerstone	81.5	76.9	82.6	73.5	14.4	60.8	2.4	2.3	78.6
Shelly	90.2	69.5	79.9	71.2	13.2	58.7	4.0	na	77.7
T14C807 (TCG-Climax)	88.5	76.5	77.1	66.2	14.7	62.9	2.0	0.7	77.1
Soren	84.6	71.9	75.9	63.6	13.3	58.8	4.6	1.0	74.0
Ingmar	77.1	65.8	80.4	71.4	13.9	60.4	3.3	0.4	73.7
Linkert	77.2	74.2	76.0	66.9	14.3	60.1	2.5	1.2	73.6
Prosper	86.1	57.4	77.1	72.0	13.4	59.1	7.2	2.1	73.1
M13C1010 (TCG-Glennville)	79.1	70.6	71.2	60.9	14.2	59.2	2.8	1.6	70.5
Faller	77.6	51.2	75.7	71.0	13.1	58.6	5.4	na	68.9
SY Valda	67.8	47.3	74.0	70.6	13.0	59.4	6.4	na	64.9
Barlow	62.1	66.2	65.4	60.0	14.3	60.6	8.2	0.9	63.4
Bolles	77.3	52.2	62.3	59.3	14.8	57.3	4.8	na	62.8

*Planted at 1.5 million seed/a except Sy Valda at 1.8 million and Faller and Bolles at 1.2 million; fungicide used

**Score: 1=least, 9=most; 2 locations

***Visually scabby kernels